


REMARKS

The above amendments are made to more clearly define the invention under United States practice. Please enter this amendment prior to calculation of the filing fee.

Respectfully submitted,


  
Jason P. Cooper  
Registration No. 38,114

**ALSTON & BIRD LLP**  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000  
Fax Charlotte Office (704) 444-1111  
**Customer No. 00826**

**CERTIFICATE OF EXPRESS MAILING**

"Express Mail" mailing label number EL822756615US  
Date of Deposit September 7, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to Box PCT, Commissioner For Patents, Washington, DC 20231.

  
Sheila Bungcayao

**Version With Markings to Show Changes Made:**

**In The Claims:**

Delete Claims 1 – 6.

Add the following new Claims 7 – 11.

7. (New) A mobile radio communications network comprising:

a local exchange, or mobile switching centre, connected to a plurality of cell site switches, each cell site switch being connected to a cluster of base station transceivers, wherein one base station transceiver in each cluster acts as a macro cell and the remaining base station transceivers in each cluster act as micro cells, characterized in that

(a) each of the local exchange, or mobile switching centre, and the cell site switches incorporates a data base;

(b) the connection between the local exchange, or mobile switching centre, and the plurality of cell site switches is in the form of a common bus to which each of the local exchange, or mobile switching centre, and the plurality of cell site switches is directly connected; and

(c) the connection between each cell site switch and its cluster of base station transceivers is in the form of a common bus to which the pertaining cell site switch and base station transceivers are directly connected;

whereby the network forms a hierarchial system in which the bus enables localisation of signalling to specific buses thereby reducing the signalling load in the local exchange, or mobile switching centre and, in each cluster the specific bus provides a fast signalling path which enables resources to be allocated between the base station transceivers as required to maintain a desired quality of service.

8. (New) A mobile communications network as claimed in Claim 7, wherein the common bus interconnecting each cell site switch and the respective cluster is a generic transmission medium.

9. (New) A mobile communications network as claimed in Claim 8, wherein the generic transmission medium is a local area network.
10. (New) A mobile communications network as claimed in Claim 7, wherein the common bus interconnecting the cell site switches and the local exchange, or mobile switching centre, is a generic transmission medium.
11. (New) A mobile communications network as claimed in Claim 10, wherein the common bus is a distributed queue dual bus network.